

ENGEL

AC/DC 12 VOLT FRIDGE-FREEZERS

HISTORY

The Engel "Swing" compressor was first invented in Germany in 1962. It has since been developed and perfected in Japan by Sawafuji Electric Company. The famous Engel compressors are now better than ever - they are quieter and more efficient than their predecessors.

All Engel compressors are made in Japan, and come with a 1 to 2 year manufacturer's warranty.

ENGEL
Fridge/Freezer

To date over 3.5 million units have sold worldwide. Engel has distribution offices in the North America, Europe, Asia, Africa, Australia, Middle East, Venezuela and Japan.

Retailer/Distributor:

EVERYTHING SUN

21 SANTA ROSA STREET, SUITE # 300

SAN LUIS OBISPO, CA 93405

(866) 888-0106

www.everythingsuv.com

A LEGEND IN RELIABILITY

© Copyright 2004 ENGEL USA

ENGEL





MT15

Compact - Professional
 AC/DC (12-24 Volt & 110 Volt)
 Refrigerate or Freeze to below 0°F
 Tough plastic exterior



MT25

Compact - Professional
 AC/DC (12-24 volt & 110 Volt)
 Refrigerate or Freeze to below 0°F
 Tough plastic exterior



MT60

X-Large size - Industrial
 AC/DC (12-24 Volt & 110 Volt)
 Refrigerate or Freeze to 0°F
 Durable powder-coated steel exterior



ACCESSORIES

Transit Bag - Insulates and Protects
 Transit Slide-Lok - Mounting Bracket
 with Quick Release

ENGEL

AC/DC 12 VOLT FRIDGE-FREEZERS

- **Fast Freezing**
- **Compressor Operated**
- **Proven Reliability**
- **Automatic Temperature Control**
- **World-Wide Service**
- **100% CFC-Free**



MT35

Mid-size - Commercial
AC/DC (12-24 Volt & 110 Volt)
Refrigerate or Freeze to below 0°F
Durable powder-coated steel exterior



MRFD-015

Compact & Portable -
Professional DC 12 Volt
Refrigerate or Freeze to 0°F
Tough plastic exterior

MHFD-015

Compact & Portable -
Professional DC 12 Volt
Refrigerate, Freeze or Heat
to 130°F
Tough plastic exterior



MT45

Large size - Commercial
AC/DC (12-24 Volt & 110 Volt)
Refrigerate or Freeze to below 0°F
Durable powder-coated steel exterior



TECHNICAL SPECIFICATIONS

	MRFD/MHFD-015	MT15	MT25	MT35
Volume	14 qt.	16 qt.	22 qt.	34 qt.
Equivalent*	21 Cans	24 Cans	30 Cans	54 Cans
Power Consumption **	0.9 - 3.9 Amps	0.9 - 3.1 Amps	0.9 - 3.1 Amps	0.7 - 2.5 Amps
Inside Dimensions	13.75"x7.5"x7.5"	11.5"x8"x10"	11.5"x8"x13.6"	15.4"x10.8"x12"
Outside Dimensions	17"x11"x14.5"	21.2"x12"x14"	21.2"x12"x17.5"	25.5"x14.3"x16"
Weight	23.5 lbs	34 lbs	34 lbs	48 lbs
Shipping Dims	20"x14"x17"	23"x14"x15"	23"x14"x19.5"	29"x17"x19"
Shipping Weight	27 lbs	40 lbs	41 lbs	59 lbs
Warranty	1 year	1 year	1 year	2 years

	MT45	MT60	ACCESSORIES
Volume	43 qt.	64 qt.	
Equivalent*	60 Cans	107 Cans	Transit Bags
Power Consumption **	0.7 - 2.5 Amps	1.3 - 3.6 Amps	Fits models MT15, MT25, MT35, MT45, MT60
Inside Dimensions	15.4"x10.8"x16"	20.1"x14.9"x12.4"	
Outside Dimensions	25.5"x14.3"x20"	31.1"x19".3"x17.4"	Transit Slide-Loks
Weight	53 lbs	69 lbs	Fits models MT15, MT25, MT35, MT45
Shipping Dims	29"x17"x23"	36"x24"x20"	
Shipping Weight	66 lbs	82 lbs	
Warranty	2 years	2 years	

All dimensions are in inches (length x width x height)

* Will fit this number of 12oz soda/beer cans

** Refrigerator mode (minimum) and Freezer mode (max) draw at 12 Volts

All values are best available at time of printing and subject to change anytime